



NOTE

OPEN ACCESS



The Synergistic Impacts of Anthropogenic Stressors and COVID-19 on Aquaculture: A Current Global Perspective

G. Sarà^a , M. C. Mangano^b , M. Berlino^a , L. Corbari^a , M. Lucchese^a , G. Milisenda^b , S. Terzo^a , M. S. Azaza^c , J. M. F. Babarro^d , R. Bakiu^e , B. R. Broitman^f , A. H. Buschmann^g , R. Christofoletti^h , A. Deidunⁱ , Y. Dong^j , J. Galdiesⁱ , B. Glamuzina^k , O. Luthman^l , P. Makridis^m , A. J. A. Nogueiraⁿ , M. G. Palomo^o , R. Dineshram^p , G. Rilov^q , P. Sanchez-Jerez^r , H. Sevgili^s , M. Troell^{t,u} , K. Y. AbouelFadl^v , M. N. Azra^w , P. Britz^x , C. Brugere^y , E. Carrington^z , I. Celic^{aa} , F. Choi^{ab} , C. Qin^{ac} , T. Dobroslavić^k , P. Galli^{ad} , D. Giannetto^{ae} , J. Grabowski^{ab} , M. J. H. Lebata-Ramos^{af} , P. T. Lim^{ag} , Y. Liu^{ah} , S. M. Llorens^{ai} , G. Maricchiolo^{aj} , S. Mirtó^{ak} , M. Pećarević^k , N. Ragg^{al} , E. Ravagnan^{am} , D. Saidi^{an} , K. Schultz^{ab} , M. Shaltout^{ao} , C. Solidoro^{aa} , S. H. Tan^{ap} , V. Thiagarajan^{aq} , and B. Helmuth^{ab}

^aLaboratory of Ecology, Earth and Marine Sciences Department, University of Palermo, Palermo, Italy; ^bStazione Zoologica Anton Dohrn, Department of Integrative Marine Ecology (EMI), Sicily Marine Centre, Palermo, Italy; ^cAquaculture Laboratory, National Institute of Marine Science and Technology, Tunis, Tunisia; ^dInstituto de Investigaciones Marinas IIM-CSIC, Vigo, Spain; ^eDepartment of Aquaculture and Fisheries, Agricultural University of Tirana, Tirane, Albania; ^fDepartamento de Ciencias, Facultad Artes Liberales, Universidad Adolfo Ibáñez, Viña del Mar, Chile & Millennium Institute "Coastal Social-Ecological Millennium Institute" (SECOS); ^gCentro i-Mar and CeBiB, Universidad de Los Lagos, Puerto Montt, Chile; ^hInstitute of Marine Sciences, Federal University of São Paulo (UNIFESP/IMar), São Paulo, Brazil; ⁱDepartment of Geosciences, University of Malta, Msida, Malta; ^jThe Key Laboratory of Mariculture, Ministry of Education, Fisheries College, Ocean University of China, Qingdao, China; ^kDepartment of Applied Ecology, University of Dubrovnik, Dubrovnik, Croatia; ^lSchool of Natural Science, Technology and Environmental Studies, Södertörn University, Huddinge, Sweden; ^mDepartment of Biology, University of Patras, Rio Achias, Greece; ⁿDepartamento de Biología and CESAM, Universidade de Aveiro, Campus de Santiago, Aveiro, Portugal; ^oLaboratory of Marine Ecology, Natural History Museum of Argentina, CONICET, Argentina; ^pBiological Oceanography Division, CSIR-National Institute of Oceanography, Dona Paula, Goa, India; ^qNational Institute of Oceanography, Israel Oceanographic and Limnological Research, Haifa, Israel; ^rDepartment of Marine Science and Applied Biology, University of Alicante, Alicante, Spain; ^sKepez Unit, Mediterranean Fisheries Research Production and Training Institute, Antalya, Turkey; ^tStockholm Resilience Centre, Stockholm University, Stockholm, Sweden; ^uBeijer Institute of Ecological Economics, Royal Swedish Academy of Sciences, Stockholm, Sweden; ^vAquatic Ecology Department, Faculty of Fish and Fisheries Technology, Aswan University, Aswan, Egypt; ^wHigher Institution Centre of Excellence (HICoE), Institute of Tropical Aquaculture and Fisheries, University Malaysia Terengganu, Terengganu, Malaysia; ^xDepartment of Ichthyology and Fisheries Science, Rhodes University, Grahamstown, South Africa; ^ySoulfish Research and Consultancy, York, UK; ^zDepartment of Biology and Friday Harbor Laboratories, University of Washington, Friday Harbor, WA, USA; ^{aa}National Institute of Oceanography and Applied Geophysics – OGS, Sgonico, Italy; ^{ab}Northeastern University Marine Science Center, Nahant, MA, USA; ^{ac}South China Sea Fisheries Research Institute, Chinese Academy of Fishery Sciences, Beijing, China; ^{ad}Department of Earth and Environmental Sciences, University of Milano-Bicocca, Italy; ^{ae}Department of Biology, Faculty of Science, Muğla Sıtkı Koçman University, Muğla, Turkey; ^{af}Aquaculture Department, Southeast Asian Fisheries Development Center, Tigbauan, Philippines; ^{ag}Bachok Marine Research Station, Institute of Ocean and Earth Sciences, University of Malaya, Bachok Kelantan, Malaysia; ^{ah}Faculty of Biosciences, Fisheries and Economics, UiT the Arctic University of Norway, Tromsø, Norway; ^{ai}Departamento de Ciencia Animal, Universitat Politècnica de València, València, Spain; ^{aj}Institute of Biological Resources and Marine Biotechnologies, National Research Council (IRBIM-CNR), Messina, Italy; ^{ak}Institute of Anthropic Impact and Sustainability in Marine Environment, National Research Council (IAS-CNR), Palermo, Italy; ^{al}Cawthon Institute, Aquaculture Unit, Cawthon Institute, Nelson, New Zealand; ^{am}Norwegian Research Centre (NORCE), NORCE Environment, Marine Ecology, Bergen, Norway; ^{an}Department of Water and Environment, Faculty of Natural Sciences and Life, University Hassiba Benbouali of Chlef, Ouled Fares Chlef, Algeria; ^{ao}Department of Oceanography, Faculty of Science, University of Alexandria, Alexandria, Egypt; ^{ap}Centre for Marine and Coastal Studies, Universiti Sains Malaysia, Penang, Malaysia; ^{aq}The Swire Institute of Marine Science and Division of Ecology and Biodiversity, The University of Hong Kong, Hong Kong, Hong Kong SAR